



SBP-15 Padding Bucket

Screening volume	1.15 m ³ / 1.5 yd ³
Operating weight	5,622 lbs / 2,550 kg





SBP-15 PADDING BUCKET

ABOUT THE SBP-15 PADDING BUCKET

The SBP-15 is a highly proficient padding bucket. It can be easily attached to an excavator and it is SUPERIOR's solution for tie-in work as well as small padding jobs.


FEATURES

- High structural steel frame
- Adjustable for screened material size
- Double chain transmission
- Two hydraulic motors
- 4 screen rollers with HARDOX steel type
- Easy to replace the rollers
- Bracket support for excavator available upon request

SPECIFICATIONS

MODEL	SCREENING VOLUME	ROTOR SIZES AVAILABLE	WEIGHT	ESCAVATOR SIZE
SBP-15	1.15 m³ / 1.5 yd³	18mm - 25mm - 38mm - 50mm 0.7" - 1" - 1 1/2" - 2"	5,622 lbs / 2,550 kg	Cat 320 or equivalent

DIMENSIONS



	Feet	Meters
A Width	5.2 ft	1.59 m
B Length	4.4 ft	1.34 m
C Overall height	6.4 ft	1.96 m
D Height (without bracket)	4.8 ft	1.47 m



AVAILABLE MODELS



SBP-15
Screen volume: 1.15 m³ / 1.5 yd³



SBP-25
Screen volume: 1.9 m³ / 2.5 yd³



SPD-150
Screen Area: 2.3 m² / 25 ft²



SPD-160
Screen Area: 5.2 m² / 57 ft²



SPD-250
Screen Area: 2.78 m² / 30 ft²



SPD-350
Screen Area: 5.57 m² / 60 ft²



SPD-450
Screen Area: 8.4 m² / 90 ft²

CONTACT INFORMATION

Europe

Phone +49.0.231.963.3073

pipelinece@wwmach.com

Russia, China and the Middle East

Phone +39.349.198.1281 Italy

Phone +7.495.507.4827 Russia

fsupipeline@wwmach.com

India

Phone +91.11.414.59230

pipelineind@wwmach.com

Africa

Intl. Toll Free 800.9675.3948

pipeline@wwmach.com

North America

Phone +1.281.457.4400

pipelinena@wwmach.com

Latin America

Phone +52.81.8.394.0160

pipelinesa@wwmach.com

Brazil

Phone 800.9675.3948

pipelinebr@wwmach.com

Australia

Phone +61.0.400.144.432

pipelinece@wwmach.com



16031 East Freeway

Houston, TX 77530

Phone 281.457.4400 Fax 281.452.5455

U.S. Toll Free 800.383.2666 Intl. Toll Free 800.9675.3948

pipeline@wwmach.com

www.worldwidemachinery.com